

MEDIA 2.0 A



207 cm



3 mm




MULTIFUNCTION SHOWER CUBICLE, CORNER ENTRY WITH 2 SLIDING DOORS + 2 FIXED PANELS IN LINE


Dimensions			Code	Mixer		Hydromas- sage	Glass	Select the finishing	
Dimensions (cm)	Total height (cm)	Access (cm)		M	T			1	AA
	C	*		Manual	Thermostatic		Clear	White	Silver
STANDARD									
				M-	T-		1	AA	AB
80 X 80	210	44	ME2A80						
90 X 90	210	48	ME2A90						
90 X 70	210	36	ME2A7090						
100 X 70	210	48	ME2A107						
100 X 80	210	50	ME2A100						
HYDRO WITHOUT DOME									
				M	T	1-	1	AA	AB
80 X 80	210	44	ME2A80						
90 X 90	210	48	ME2A90						
90 X 70	210	36	ME2A7090						
100 X 70	210	48	ME2A107						
100 X 80	210	50	ME2A100						
HYDRO WITH DOME + SHOWER HEAD									
				M	T	1F-	1	AA	AB
80 X 80	226	44	ME2A80						
90 X 90	226	48	ME2A90						
90 X 70	226	36	ME2A7090						
100 X 70	226	48	ME2A107						
100 X 80	226	50	ME2A100						




80x80 - 90x90



90x70 - 100x70 - 100x80



Left




Right




MEDIA 2.0 | FINISHES

STRUCTURE FINISHES



White
code A



Silver
code B







GLASS FINISHES



Clear
thickness 3 mm

MEDIA 2.0 | FUNCTIONS AND EQUIPMENT (available depending on the model)



-   Manual or Thermostatic mixer and Hand shower
-   Dome with Shower head
-  Body hydromassage
-  2 Soap holder



Vertical hydromassage system



Integrated soap holder





Dome with integrated shower head




Essential design

MEDIA 2.0








for model
A80 - A90 - R90 - GF80 - GF90





left version
for model **A 90x70 - A 100x70 - A 100x80 - 2P 120x80**




model	A ± 5	B ± 5	C	D	E
A80	804	804	200	404	300
A90	904	904	200	504	300
GF80	804	804	200	404	300
GF90	904	904	200	504	300



model	A ± 5	B ± 5	C	D	E
R90	904	904	200	504	300



model	A ± 5	B ± 5	C	D	E
A90x70	904	704	200	504	300
A100x70	1004	704	200	604	300
A100x80	1004	804	200	604	300
2P120x80	1204	804	200	804	300



HYDRAULIC CHARACTERISTICS:
Optimal dynamic pressure 2-5 bar
Hot water 1/2"
Cold water 1/2"
Drain connection ø 40 mm