SENSE 7 Z1

CORNER BATHTUB

Dimensions		Capacity	Code	Select the structure / Price			
				Shiny white	Soft white	Shiny white	Soft white
cm	н	lt.					
				Without panels		1 Panel	
STANDARD BUILT-IN							
140 X 140	58		Z11140140	-A	-U	_	_
			211140140				
STANDARD BUILT-IN +							
140 V 140	Ε0		7111 401 400	-A0K	-U0K		
140 X 140	58		Z111401402			-	
STANDARD WITH FRAME						<u> </u>	
						-A1	-U1
140 X 140	58		Z12140140	-	-		
STANDARD WITH FRAME + MIXER							
4.40.7/4.40	F0		74.04.404.400			-A1K	-U1K
140 X 140	58		Z121401402				
				Without panels		1 Panel	
HYDRO WITH FRAME (WITHOUT DISINFECTION)							
				-A0K	-U0K	-A1K	-U1K
140 X 140	58		Z15140140R0				
HYDRO WITH FRAME (WITHOUT DISINFE						
				-A0K	-U0K	-A1K	-U1K
140 X 140	58		Z15140140R2				
HYDRO PLUS WITH FR	AME						

Z17140140R6

Z17140140R7

-AØK

-A0K

-UØK

-UØK

-A1K

-A1K

-U1K

-U1K

HYDRO PLUS CON TELAIO + RUBINETTERIA

140 X 140

140 X 140

58

58



BATH FINISHES Shiny white Soft white



FUNCTIONS AND EQUIPMENT

(available depending on the model)



Airpool massage (16 jets) air-jet with manual on / off or sequential programm, for an **effective cellular**



Body massage Whirlpool (6 jets) air/water with adjustable time and intensity, manual or automatic to satisfy the need of wellness.



4 seasons chromolight program. A symphony of light and colours for a growing sense of excitement.



Head rest in EVA water proof, antibacterial and nontoxic.



Bath mounted mixer



Waste column



Electronic panel with Hydro sequence functions



Disinfection



Seat

SENSE 7 - Z1

ACCESSORIES IN OPTION



















543

OPTIONAL ACCESSORIES






































Capacity litres

290







Install a 30mA differential switch upstream of the appliance with a multiple-pole switch with a minimum contact opening ≥ 3 mm.

HYDRAULIC CHARACTERISTIC

6 Whrilpool jets 12 Airpool jets 6 back Airpool jets Siphon connection 1 1/2""

ELECTRICAL CHARACTERISTIC

Tension: 220-230 V Frequency: 50 Hz Maximum power consumption: 950 W Whirlpool: 550 W Airpool: 400 W