



MATT WHITE BATHTUB WITH GRAIN PANELS AND MATT WHITE BATH BOARD



Head rest in white leather



Sound system with RDS radio and Bluetooth connection



A heater keeps warm temperature of the water inside the bath



Integrated Chromolight to stimulate body and mind



SENSE DUAL

SENSE DUAL

DUAL SEAT RECTANGULAR HYDRO BATHTUB

Dimensions	Capacity	Code	Select the inside finish	Select the bath board							
				Laminated finish				Leafy HPL			
cm	H	lt.		Shiny white	Soft White	Shiny white	Soft White	White wood	Grain	Burlington	Wenge
ESSENTIAL											
				-A0	-U0	A	U	I	M	N	V
	193X140	64	430	SE2190142							
HYDRO PLUS											
				-A0	-U0	A	U	I	M	N	V
	193X140	64	430	SE719014T7							

1 FRONT PANEL 193 CM											
				A	U	I	M	N	V		
	193 x 140		PANVFSE194-								
1 FRONT PANEL 193 CM; 1 SIDE PANEL 140 CM											
	193 x 140		PANVFLSE194-								
1 FRONT PANEL 193 CM; 2 SIDE PANELS 140 CM											
	193 x 140		PANVF2LSE194-								
2 FRONT PANELS 193 CM; 2 SIDE PANELS 140 CM											
	193 x 140		PANVFLSE194C-								

FOR ALL OPTIONALS SEE PAGE 508, 509, 510

490

Construction
of the code:

Code

+

Select the
inside finish


+

Select the bath board

=


Final product
code





Capacity litres

450



WARNING!
It could be dangerous for pacemaker wearer

Install a 30mA differential switch upstream of the appliance with a multiple-pole switch with a minimum contact opening ≥ 3 mm.

HYDRAULIC CHARACTERISTIC
10 Whirlpool jets
14 Airpool jets
Siphon connection 1 1/2"

ELECTRICAL CHARACTERISTIC
Tension: 220-230 V
Frequency: 50 Hz
Maximum power consumption: 2950 W
Heater: 1450 W
Whirlpool: 550+550 W
Airpool: 400 W

