




Celsius Combo SSH



Installation



In recess Right corner Left corner Center of wall

Measures

400x150 H223

	Sauna	Shower	Hammam		SAUNA	SHOWER	HAMMAM
Features							
	Electronic panel with 5 (sauna) and 3 (hammam) heat settings				●	–	●
	Bench				2	–	1
	Glass thickness 8 mm				●	●	●
	Wood and/or lacquered steel handle				●	●	●
	Footboard				●	–	–
	Aroma vapouriser				–	–	●
	Vertical whirlpool (12 jets)				–	●	–
	Thermostatic mixer and hand shower				–	●	●
	Shower head 30x30 cm with waterfall				–	●	–
	Shelf				–	●	–
	LED lighting				●	–	●
	Bluetooth sound system				●	–	●
	External side mirror				●	–	●
	LED lighting with Cromolight				OPTIONAL	–	OPTIONAL
	Hanger				OPTIONAL	–	OPTIONAL
	Emergency button ¹				OPTIONAL	–	OPTIONAL
	Semi-automatic boiler descaling system ²				–	–	OPTIONAL

FRAME COLOUR



TENT GREY
cod. 8Y



DUSTY GREY
cod. 8W



GRAVEL GREY
cod. 86

SAUNA WOOD



ABACHI
cod. LA



ABACHI THERMO
cod. LB



HEMLOCK
cod. LC

¹ Functions as product switch-off, alarm sound, light switch-on, remote alarm contact shut-off.

² INTENSIVE USE: it is mandatory to install a reverse osmosis demineraliser (2°F) to remove any minerals in the water from the steam generator; INTERMITTENT USE: we recommend a semi-automatic boiler descaling system, requiring a maintenance and cleaning procedure every 500 hours approximately. The costs of ordinary **boiler descaling maintenance** are charged on the customer.




Celsius Combo SH




Sauna

Hammam Hydro


Installation




In recess



Right corner



Left corner



Center of wall

Measures

270x120 H223

300x120 H223

350x120 H223

300x150 H223

350x150 H223

Features	SAUNA	HAMMAM	HAMMAM HYDRO
Electronic panel with 5 (sauna) and 3 (hammam) heat settings	●	●	●
Bench	2	1	1
Glass thickness 8 mm	●	●	●
Wood and/or lacquered steel handle	●	●	●
Footboard	●	–	–
Aroma vapouriser	–	●	●
Vertical whirlpool (12 jets)	–	–	●
Thermostatic mixer and hand shower	–	●	●
Shower head 30x30 cm with waterfall	–	–	●
LED lighting	●	●	●
Bluetooth sound system	●	●	●
External side mirror	●	●	●
LED lighting with Cromolight	OPTIONAL	OPTIONAL	OPTIONAL
Hanger	OPTIONAL	OPTIONAL	–
Emergency button ¹	OPTIONAL	OPTIONAL	OPTIONAL
Semi-automatic boiler descaling system ²	–	OPTIONAL	OPTIONAL

FRAME COLOUR



TENT GREY
cod. 8Y



DUSTY GREY
cod. 8W



GRAVEL GREY
cod. 86

SAUNA WOOD



ABACHI
cod. LA



ABACHI THERMO
cod. LB



HEMLOCK
cod. LC

¹ Functions as product switch-off, alarm sound, light switch-on, remote alarm contact shut-off.

² INTENSIVE USE: it is mandatory to install a reverse osmosis demineraliser (2°F) to remove any minerals in the water from the steam generator; INTERMITTENT USE: we recommend a semi-automatic boiler descaling system, requiring a maintenance and cleaning procedure every 500 hours approximately. The costs of ordinary **boiler descaling maintenance** are charged on the customer.




Celsius Combo SS




Sauna

Shower


Installation




In recess



Right corner



Left corner



Center of wall

Measures

250x120 H223

250x150 H223

300x150 H223

Features	SAUNA	SHOWER
 Electronic panel with 5 heat settings	●	-
 Bench	2	-
 Glass thickness 8 mm	●	●
 Wood and/or lacquered steel handle	●	●
 Footboard	●	-
 Thermostatic mixer and hand shower	-	●
 Vertical whirlpool (12 jets)	-	●
 Shower head 30x30 cm with waterfall	-	●
 Shelf	-	●
 LED lighting	●	-
 External side mirror	●	●
 Bluetooth sound system	OPTIONAL	OPTIONAL
 LED lighting with Cromolight	OPTIONAL	OPTIONAL
 Hanger	OPTIONAL	OPTIONAL
 Emergency button ¹	OPTIONAL	-

FRAME COLOUR



TENT GREY
cod. 8Y



DUSTY GREY
cod. 8W



GRAVEL GREY
cod. 86

SAUNA WOOD



ABACHI
cod. LA



ABACHI THERMO
cod. LB







HEMLOCK
cod. LC

¹ Functions as product switch-off, alarm sound, light switch-on, remote alarm contact shut-off.

CELSIUS COMBO SSH 400x150

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

SAUNA 150X150 - HAMMAM 150X150 - SHOWER 100X150 H223														
		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL054015BI	-												
Right corner	CL054015AD													
Left corner	CL054015AS		-											
Centre of wall	CL054015CP													



Code composition = Code + Side panel + Tech + Boiler Descaling + Frame Colour + Sauna Wood



CELSIUS COMBO SH 270x120

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock


SAUNA 150X120 - HAMMAM 120X120 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL032712BI		☐											
Right corner	CL032712AD		☐											
Left corner	CL032712AS	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CL032712CP		☐											


SAUNA 150X120 - HAMMAM HYDRO 120X120 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CLH32712BI		☐											
Right corner	CLH32712AD		☐											
Left corner	CLH32712AS	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CLH32712CP		☐											


IN RECESS




RIGHT CORNER



LEFT CORNER



CENTRE OF WALL



CELSIUS COMBO SH 300x120

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock


SAUNA 150X120 - HAMMAM 150X120 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL033012BI		☐											
Right corner	CL033012AD		☐											
Left corner	CL033012AS	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CL033012CP		☐											


SAUNA 150X120 - HAMMAM HYDRO 150X120 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CLH33012BI		☐											
Right corner	CLH33012AD		☐											
Left corner	CLH33012AS	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CLH33012CP		☐											


IN RECESS




RIGHT CORNER



LEFT CORNER



CENTRE OF WALL




CELSIUS COMBO SH 350x120

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

SAUNA 200X120 - HAMMAM 150X120 H223														
		G	W	Ø	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL033512BI	-	☐											
Right corner	CL033512AD		☐											
Left corner	CL033512AS		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CL033512CP		☐											

SAUNA 200X120 - HAMMAM HYDRO 150X120 H223														
		G	W	Ø	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CLH33512BI	-	☐											
Right corner	CLH33512AD		☐											
Left corner	CLH33512AS		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Centre of wall	CLH33512CP		☐											




CELSIUS COMBO SH 300x150

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

SAUNA 150X150 - HAMMAM 150X150 H223														
		G	W	Ø	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL033015BI	-	☐											
Right corner	CL033015AD	☐	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Left corner	CL033015AS	☐												
Centre of wall	CL033015CP	☐												

SAUNA 150X150 - HAMMAM HYDRO 150X150 H223														
		G	W	Ø	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CLH33015BI	-	☐											
Right corner	CLH33015AD	☐	-	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Left corner	CLH33015AS	☐												
Centre of wall	CLH33015CP	☐												



CELSIUS COMBO SH 350x150

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED +BT	Chromolight	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock


SAUNA 200X150 - HAMMAM 150X150 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CL033515BI	-	□											
Right corner	CL033515AD	□												
Left corner	CL033515AS	□	-	□	□	□	□	□	□	□	□	□	□	□
Centre of wall	CL033515CP	□												


SAUNA 200X150 - HAMMAM HYDRO 150X150 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	CLH33515BI	-	□											
Right corner	CLH33515AD	□												
Left corner	CLH33515AS	□	-	□	□	□	□	□	□	□	□	□	□	□
Centre of wall	CLH33515CP	□												


IN RECESS




RIGHT CORNER



LEFT CORNER



CENTRE OF WALL



Code composition = Code + Side panel + Tech + Boiler Descaling + Frame Colour + Sauna Wood


CELSIUS COMBO SS 250x120

Installation	Code	Side panel		Tech			Frame Colour			Sauna Wood		
		Glass	Wall	White LED	Chromolight +BT	Chromolight+BT +Emergency	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock


SAUNA 150X120 - SHOWER 100X120 H223

		G	W	0-	6-	7-	8Y	8W	86	LA	LB	LC
In recess	CL042512BI	-	□									
Right corner	CL042512AD	□										
Left corner	CL042512AS	□	-	□	□	□	□	□	□	□	□	□
Centre of wall	CL042512CP	□										


IN RECESS W




RIGHT CORNER G



LEFT CORNER G



CENTRE OF WALL







CELSIUS COMBO SS 250x150

Installation	Code	Side panel		Tech			Frame Colour			Sauna Wood		
		Glass	Wall	White LED	Chromolight +BT	Chromolight+BT +Emergency	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

SAUNA 150X150 - SHOWER 100X150 H223

		G	W	0-	6-	7-	8Y	8W	86	LA	LB	LC
In recess	CL042515BI	-										
Right corner	CL042515AD											
Left corner	CL042515AS											
Centre of wall	CL042515CP											







CELSIUS COMBO SS 300x150

Installation	Code	Side panel		Tech			Frame Colour			Sauna Wood		
		Glass	Wall	White LED	Chromolight +BT	Chromolight+BT +Emergency	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

SAUNA 200X150 - SHOWER 100X150 H223

		G	W	0-	6-	7-	8Y	8W	86	LA	LB	LC
In recess	CL043015BI	-										
Right corner	CL043015AD											
Left corner	CL043015AS											
Centre of wall	CL043015CP											



Sauna available with ÖNORM certification only for HEMLOCK finish. 15% surcharge – contact us for info.

Code composition = Code + Side panel + Tech + Frame Colour + Sauna Wood

ACCESSORIES



BACKREST

Dimensions (cm)	Code	Colour/Essence	
		Ayous	Ayous Thermo
		LD	LE
120	CLA1POS120	☐	☐
150	CLA1POS150	☐	☐
200	CLA1POS200	☐	☐



HEADREST

Dimensions (cm)	Code	Colour/Essence	
		Ayous	Ayous Thermo
		LD	LE
42 (100/120)	CLA1PTP401	☐	☐
55 (150)	CLA1PTP502	☐	☐



BUCKET WITH LADLE

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
CLA2MSC01	☐	☐



HOURGLASS

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
CLA2CLE01	☐	☐



THERMOMETER

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
CLA2TER01	☐	☐



HANGER

Finish	Code	Price
Tent Grey	CLA2APP01-8Y	☐
Dusty Grey	CLA2APP01-8W	☐
Gravel Grey	CLA2APP01-86	☐

FURNITURE FINISHES AND ACCESSORIES


Wood does not overheat with heat. Used for benches, stove covers and accessories.



AYOUS



AYOUS THERMO




CELSIUS COMBO SSH 400x150 GLASS


Power supply sauna: 4,5kW
Power supply hammam: 4,5kW
Total power: 9kW




LEFT CORNER G





RIGHT CORNER G



CENTRE OF WALL G




NICHE W




CELSIUS COMBO SH 270x120 WALL


Power supply sauna: 4,5kW
Power supply hammam: 3kW
Total power: 7,5kW




NICHE




RIGHT CORNER



LEFT CORNER




CENTRE OF WALL




CELSIUS COMBO SH 300x120 WALL


Power supply sauna: 4,5kW
Power supply hammam: 4,5kW
Total power: 9kW




NICHE




RIGHT CORNER




LEFT CORNER



CENTRE OF WALL











CELSIUS COMBO SH 350x120 WALL









Power supply sauna: 4,5kW
Power supply hammam: 4,5kW
Total power: 9kW



CELSIUS COMBO SH 300x150 GLASS








Power supply sauna: 4,5kW
Power supply hammam: 4,5kW
Total power: 9kW



CELSIUS COMBO SH 350x150 GLASS



Power supply sauna: 6kW
Power supply hammam: 4,5kW
Total power: 10,5kW



Electrical features:

Voltage: 230V 1P+N / 400V 3P+N - 50/60Hz


Hydraulic characteristics:

Working pressure 2-5bar
Hot/Cold water 1/2" shower
Cold water 1/2" Steam generator*
Syphon connection Ø40 mm



*Steam generator water supply:


For intensive use, it is mandatory to install a reverse osmosis water demineraliser (2°F). For occasional use, a semi-automatic boiler descaling system is available.




CELSIUS COMBO SS 250x120 GLASS




Power supply sauna: 3,5kW




NICHE W





RIGHT CORNER G



LEFT CORNER G




CENTRE OF WALL G




CELSIUS COMBO SS 250x150 GLASS




Power supply sauna: 4,5kW




NICHE W





RIGHT CORNER G



LEFT CORNER G




CENTRE OF WALL G




CELSIUS COMBO SS 300x150 GLASS




Power supply sauna: 6kW




NICHE W




RIGHT CORNER G



LEFT CORNER G



CENTRE OF WALL G



Electrical feature:

Voltage: 230V 1P+N / 400V 3P+N - 50/60Hz

Hydraulic characteristics:

Working pressure 2-5bar
Hot/Cold water 1/2" shower
Syphon connection Ø40 mm