




# Celsius Patio



## Installation



In recess    Right corner    Left corner    Center of wall

## Measures

310x245 H223  
360x245 H223

	Sauna	Patio with shower	Hammam		SAUNA	HAMMAM	PATIO
<b>Features</b>							
Electronic display with 5 (sauna) and 3 (hammam) heat settings					●	●	-
Bench					2	1	-
Glass thickness 8 mm					●	●	●
Front smoked grey glass 8 mm thick					-	-	●
Wood and/or lacquered steel handle					●	●	-
Footboard					●	-	-
Aroma vapouriser					-	●	-
Thermostatic mixer and hand shower					-	●	●
Shower head 30x30 cm with waterfall					-	-	●
Shelf for objects/towels					-	-	●
External side mirror					●	●	-
LED lighting					●	●	-
LED lighting with Cromolight					OPTIONAL	OPTIONAL	-
Bluetooth sound system					●	●	-
Hanger					OPTIONAL	OPTIONAL	2
Emergency button <sup>1</sup>					OPTIONAL	OPTIONAL	-
Semi-automatic boiler descaling system <sup>2</sup>					-	OPTIONAL	-

### FRAME COLOUR



TENT GREY  
cod. 8Y

DUSTY GREY  
cod. 8W

GRAVEL GREY  
cod. 86

### SAUNA WOOD



ABACHI  
cod. LA

ABACHI THERMO  
cod. LB

HEMLOCK  
cod. LC

<sup>1</sup> Functions as product switch-off, alarm sound, light switch-on, remote alarm contact shut-off.





<sup>2</sup> **INTERMITTENT USE:** it is mandatory to install a reverse osmosis demineraliser (2°F) to remove any minerals in the water from the steam generator; **INTERMITTENT USE:** we recommend a semi-automatic boiler descaling system, requiring a maintenance and cleaning procedure every 500 hours approximately. The costs of ordinary **boiler descaling maintenance** are charged on the customer.

# CELSIUS PATIO 310x245

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED+BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

## SAUNA 150X150 - HAMMAM 150X150 - PATIO 310X95 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	<b>CL063125BI</b>	-	□											
Right corner	<b>CL063125AD</b>	□		□	□	□	□	□	□	□	□	□	□	□
Left corner	<b>CL063125AS</b>	□												
Centre of wall	<b>CL063125CP</b>	□												







# CELSIUS PATIO 360x245

Installation	Code	Side panel		Tech			Boiler Descaling		Frame Colour			Sauna Wood		
		Glass	Wall	White LED+BT	Chromo light	Chromolight +Emergency	Without	With	Tent Grey	Dusty Grey	Gravel Grey	Abachi	Abachi Thermo	Hemlock

## SAUNA 200X150 - HAMMAM 150X150 - PATIO 360X95 H223

		G	W	0	6	7	X-	C-	8Y	8W	86	LA	LB	LC
In recess	<b>CL063625BI</b>	-	□											
Right corner	<b>CL063625AD</b>	□		□	□	□	□	□	□	□	□	□	□	□
Left corner	<b>CL063625AS</b>	□												
Centre of wall	<b>CL063625CP</b>	□												



Code composition = Code + Side panel + Tech + Boiler Descaling + Frame Colour + Sauna Wood

## ACCESSORIES



BACKREST

Dimensions (cm)	Code	Colour/Essence	
		Ayous	Ayous Thermo
		LD	LE
120	<b>CLA1POS120</b>	<input type="checkbox"/>	<input type="checkbox"/>
150	<b>CLA1POS150</b>	<input type="checkbox"/>	<input type="checkbox"/>
200	<b>CLA1POS200</b>	<input type="checkbox"/>	<input type="checkbox"/>




HEADREST

Dimensions (cm)	Code	Colour/Essence	
		Ayous	Ayous Thermo
		LD	LE
42 (100/120)	<b>CLA1PTP401</b>	<input type="checkbox"/>	<input type="checkbox"/>
55 (150)	<b>CLA1PTP502</b>	<input type="checkbox"/>	<input type="checkbox"/>



BUCKET WITH LADLE

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
<b>CLA2MSC01</b>	<input type="checkbox"/>	<input type="checkbox"/>



HOURGLASS

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
<b>CLA2CLE01</b>	<input type="checkbox"/>	<input type="checkbox"/>



THERMOMETER

Code	Colour/Essence	
	Ayous	Ayous Thermo
	LD	LE
<b>CLA2TER01</b>	<input type="checkbox"/>	<input type="checkbox"/>



HANGER

Finish	Code	Price
Tent Grey	<b>CLA2APP01-8Y</b>	<input type="checkbox"/>
Dusty Grey	<b>CLA2APP01-8W</b>	<input type="checkbox"/>
Gravel Grey	<b>CLA2APP01-86</b>	<input type="checkbox"/>

### FURNITURE FINISHES AND ACCESSORIES

Wood does not overheat with heat. Used for benches, stove covers and accessories.






AYOUS









AYOUS THERMO




Sauna available with **ÖNORM** certification only for HEMLOCK finish. 15% surcharge – contact us for info.







## CELSIUS PATIO 310x245 GLASS

 Power supply sauna: 4,5kW  
 Power supply hammam: 4,5kW  
 Total power: 9kW



## CELSIUS PATIO 360x245 GLASS

 Power supply sauna: 6kW  
 Power supply hammam: 4,5kW  
 Total power: 10,5kW



**Electrical features:**  
Voltage: 230V 1P+N / 400V 3P+N - 50/60Hz

**Hydraulic characteristics:**  
Working pressure 2-5bar  
Hot/Cold water 1/2" shower  
Cold water 1/2" Steam generator\*  
Syphon connection Ø40 mm



**\*Steam generator water supply:**  
For intensive use, it is mandatory to install a reverse osmosis water demineraliser (2°F).  
For occasional use, a semi-automatic boiler descaling system is available.