



VITA XL 200x200



Dimensions cm	200 x 200 H 85
Seats	
Capacity Lt.	950
Absorption Max Watt	3450
Max. weight kg	1650

FUNCTIONS	STANDARD	PLUS
 Whirlpool jets	19	28
 Whirlpool mini jets	4	6
 Air regulation	-	2
 Chromolight	1	2
 Headrest	-	●
 Bluetooth audio system	OPTIONAL	OPTIONAL
 Wi-Fi module	OPTIONAL	OPTIONAL
 UV purification system	●	●
 Double speed pump	●	●
 Heater 3 kW	●	●
 Heat exchanger	OPTIONAL	OPTIONAL
 Automatic refill	OPTIONAL	OPTIONAL
 Fast emptying/filling + level control	OPTIONAL	OPTIONAL
 Skimmer cover	-	●

BATHTUB COLOUR



A0 White

HEADREST



H Black


NATURAL TOUCH PANELS




P1 Oak Alpine



P2 Oak Concrete




P3 Oxid



P4 Quarz

SLATTED PANELS



D1 Dark brown




D2 Ice

THERMAL COVER




C2 Brown

VITA XL STANDARD



VITA XL PLUS



Code	Functions		Level control options			Bathtub Colour	Headrest/Side Seat Colour
	UV + Chromolight	UV + Chromolight + audio BT	None	Automatic refill	Fast emptying/ filling + level control		
						White	Black
STANDARD							
	3X	4X	0	1	2	-W10	H
VITXL50							
STANDARD WITH HEAT EXCHANGER							
	3R	4R	0	1	2	-W10	H
VITXL50							
PLUS							
	3X	4X	0	1	2	-W10	H
VITXL40							
PLUS WITH HEAT EXCHANGER							
	3R	4R	0	1	2	-W10	H
VITXL40							

PANELS

Code	Panels finishes			
NATURAL TOUCH				
	P1	P2	P3	P4
	Oak-Alpine	Oak-Concrete	Oxid	Quarz
PANV2F2LVITXL-				
SLATTED PANELS				
	D1	D2		
	Dark Brown	Ice		
PADV2F2LVITXL-				

OPTIONAL

WI-FI MODULE

Code	Price
DOMOWF	

HEAT PUMP PREDISPOSITION KIT

Code	Price
DOKPDC	


INSULATION KIT

Thermal insulation	Code	Price
Panels	KBT2F2LVIXL	
Bathtub bottom	VXTHCOFV	

THERMAL COVER

Cover	Code	Price
Summer cover	VXTHCO-C2	
Winter cover	VXTHCOT-C2	

Code composition Code + Functions + Level control options + Bathtub Colour + Headrest/Side Seat Colour



HYDRAULIC SPECIFICATIONS

Maximum capacity 950 litres
28 side whirlpool jets (19 vers. st.)
6 mini jets on the bottom (4 vers. st.)

ELECTRICAL SPECIFICATIONS

Power 230 V
Frequency 50 Hz
Max. power requirement 3450 W

MECHANICAL CHARACTERISTICS

Total area 4 m²
Total weight: 1650 kg
Bathtub+components mass 300 kg
Users mass (5 pers.) 80x5=400 kg
Specific load on support base 4130 N/m²